

L Number	Hits	Search Text	DB	Time stamp
-	0	(automat\$4 NEAR5 configur\$5 NEAR9 (client or device or computer or node or terminal or station)) and ((configuration NEAR9 (compatibi\$5 or match\$5 or useable or standard or capable)) and ((client or device or computer or node or terminal or station) NEAR9 (request\$5 or get\$4 or reload\$4 or ask\$4 or call\$4 or apply\$4 or demand\$4 or invok\$4 or order\$4 or solicit\$4 or seek\$4 or search\$4 or need\$4 or requir\$4 or command\$4 or extract\$4 or obtain\$4 or acquir\$4 or select\$4 or copy\$4 or creat\$4 or query\$4 or fetch\$4 or gather\$4 or pick\$4 or recover\$4) NEAR5 configuration) and @ad<20030903	USPAT; US-PGPUB	2004/10/05 14:59
-	32	(automat\$4 NEAR5 configur\$5 NEAR9 (client or device or computer or node or terminal or station)) and ((configuration NEAR9 (compatibi\$5 or match\$5 or useable or standard or capable)) and ((client) NEAR9 (request\$5 or get\$4 or reload\$4 or ask\$4 or call\$4 or apply\$4 or demand\$4 or invok\$4 or order\$4 or solicit\$4 or seek\$4 or search\$4 or need\$4 or requir\$4 or command\$4 or extract\$4 or obtain\$4 or acquir\$4 or select\$4 or copy\$4 or creat\$4 or query\$4 or fetch\$4 or gather\$4 or pick\$4 or recover\$4) NEAR5 configuration)) and @ad<20030903	USPAT; US-PGPUB	2004/10/05 15:10
-	21	(automat\$4 NEAR5 configur\$5 NEAR9 (client or device or computer or node or terminal or station)) and ((configuration NEAR9 (compatibi\$5 or match\$5 or useable or standard or capable)) and ((client) NEAR9 (request\$5 or get\$4 or reload\$4 or ask\$4 or call\$4 or apply\$4 or demand\$4 or invok\$4 or order\$4 or solicit\$4 or seek\$4 or search\$4 or need\$4 or requir\$4 or command\$4 or extract\$4 or obtain\$4 or acquir\$4 or select\$4 or copy\$4 or creat\$4 or query\$4 or fetch\$4 or gather\$4 or pick\$4 or recover\$4) NEAR5 configuration)) and @ad<20030903 and ((time or period) NEAR9 configuration)	USPAT; US-PGPUB	2004/10/05 15:20
-	0	(automat\$4 NEAR5 configur\$5 NEAR9 (client or device or computer or node or terminal or station)) and ((configuration NEAR9 "not" NEAR5 (compatib\$5 or match\$5 or useable or standard or capable or default or compliant or acceptable or satisfactory or good or eligib\$8 or fit\$4 or suitable or sufficient or comply)) and ((client or device or computer or node or terminal or station) NEAR9 (request\$5 or get\$4 or reload\$4 or ask\$4 or call\$4 or apply\$4 or demand\$4 or invok\$4 or order\$4 or solicit\$4 or seek\$4 or search\$4 or need\$4 or requir\$4 or command\$4 or extract\$4 or obtain\$4 or acquir\$4 or select\$4 or copy\$4 or creat\$4 or query\$4 or fetch\$4 or gather\$4 or pick\$4 or recover\$4) NEAR5 configuration) and @ad<20030903 and ((time or period) NEAR9 configuration NEAR5 (request or sent or download\$4 or transmit\$4 or provid\$4 or suppl\$4))	USPAT; US-PGPUB	2004/10/05 16:10
-	0	(automat\$4 NEAR5 configur\$5 NEAR9 (client or device or computer or node or terminal or station)) and ((configuration NEAR9 "not" NEAR5 (compatib\$5 or match\$5 or useable or standard or capable or default or compliant or acceptable or satisfactory or good or eligib\$8 or fit\$4 or suitable or sufficient or comply)) and ((client or device or computer or node or terminal or station) NEAR9 (request\$5 or get\$4 or reload\$4 or ask\$4 or call\$4 or apply\$4 or demand\$4 or invok\$4 or order\$4 or solicit\$4 or seek\$4 or search\$4 or need\$4 or requir\$4 or command\$4 or extract\$4 or obtain\$4 or acquir\$4 or select\$4 or copy\$4 or creat\$4 or query\$4 or fetch\$4 or gather\$4 or pick\$4 or recover\$4) NEAR5 configuration)) and @ad<20030903 and ((time or period or when or point or instance) NEAR9 configuration NEAR5 (request\$3 or sent or download\$4 or transmit\$4 or provid\$4 or suppl\$4))	USPAT; US-PGPUB	2004/10/05 16:12
-	0	(automat\$4 NEAR5 configur\$5 NEAR9 (client or device or computer or node or terminal or station)) and ((configuration NEAR9 "not" NEAR9 (compatibi\$5 or match\$5 or useable or standard or capable)) and ((client or device or computer or node or terminal or station) NEAR9 (request\$5 or get\$4 or reload\$4 or ask\$4 or call\$4 or apply\$4 or demand\$4 or invok\$4 or order\$4 or solicit\$4 or seek\$4 or search\$4 or need\$4 or requir\$4 or command\$4 or extract\$4 or obtain\$4 or acquir\$4 or select\$4 or copy\$4 or creat\$4 or query\$4 or fetch\$4 or gather\$4 or pick\$4 or recover\$4) NEAR5 configuration)) and @ad<20030903	USPAT; US-PGPUB	2004/10/05 16:17

-	0	(automat\$4 NEAR5 configur\$5 NEAR9 (client or device or computer or node or terminal or station)) and ((configuration NEAR9 "not" NEAR9 (compatib\$5 or match\$5 or useable or standard or capable)) and ((client or device or computer or node or terminal or station) NEAR9 (request\$5 or get\$4 or reload\$4 or ask\$4 or call\$4 or apply\$4 or demand\$4 or invok\$4 or order\$4 or solicit\$4 or seek\$4 or search\$4 or need\$4 or requir\$4 or command\$4 or extract\$4 or obtain\$4 or acquir\$4 or select\$4 or copy\$4 or gather\$4 or pick\$4 or recover\$4) NEAR5 configuration)) and @ad<20030903	USPAT; US-PGPUB	2004/10/05 16:19
-	0	((automat\$4 NEAR5 configur\$5 NEAR9 (client or device or computer or node or terminal or station)) and ((configuration NEAR9 (compatib\$5 or match\$5 or useable or standard or capable or default or compli\$5 or acceptable or satisfactory or good or eligib\$8 or fit\$4 or suitable or sufficient or comply)) and ((client or device or computer or node or terminal or station) NEAR9 (request\$5 or get\$4 or reload\$4 or ask\$4 or call\$4 or apply\$4 or demand\$4 or invok\$4 or order\$4 or solicit\$4 or seek\$4 or search\$4 or need\$4 or requir\$4 or command\$4 or extract\$4 or obtain\$4 or acquir\$4 or select\$4 or copy\$4 or creat\$4 or query\$4 or fetch\$4 or gather\$4 or pick\$4 or recover\$4) NEAR5 configuration)) and @ad<20030903 and ((time or period) NEAR9 configuration NEAR5 (request or sent or download\$4 or transmit\$4 or provid\$4 or suppl\$4))) and (client or device or computer or node or terminal or station) NEAR5 (load NEAR5 (default or standard) NEAR5 configuration)	USPAT; US-PGPUB	2004/10/05 16:29
-	2	((automat\$4 NEAR5 configur\$5 NEAR9 (client or device or computer or node or terminal or station)) and ((configuration NEAR9 (compatib\$5 or match\$5 or useable or standard or capable or default or compli\$5 or acceptable or satisfactory or good or eligib\$8 or fit\$4 or suitable or sufficient or comply)) and ((client or device or computer or node or terminal or station) NEAR9 (request\$5 or get\$4 or reload\$4 or ask\$4 or call\$4 or apply\$4 or demand\$4 or invok\$4 or order\$4 or solicit\$4 or seek\$4 or search\$4 or need\$4 or requir\$4 or command\$4 or extract\$4 or obtain\$4 or acquir\$4 or select\$4 or copy\$4 or creat\$4 or query\$4 or fetch\$4 or gather\$4 or pick\$4 or recover\$4) NEAR5 configuration)) and @ad<20030903 and ((time or period) NEAR9 configuration NEAR5 (request or sent or download\$4 or transmit\$4 or provid\$4 or suppl\$4))) and (client or device or computer or node or terminal or station) NEAR5 ((load or install or set\$4 or using or use) NEAR5 (default or standard or basic or regular) NEAR5 configuration)	USPAT; US-PGPUB	2004/10/05 17:07
-	26	server NEAR5 monitor NEAR9 (connection or access or login or session) NEAR5 (time or length or period) and @ad<20030903	USPAT; US-PGPUB	2004/10/06 08:22
-	26	server NEAR5 monitor NEAR9 (connection or access or login or session) NEAR5 (time or length or period) and @ad<20030903	USPAT; US-PGPUB	2004/10/06 08:23
-	0	server NEAR5 monitor NEAR9 (connection or access or login or session) NEAR5 (time or length or period) and @ad<20030903 and (auto\$9 NEAR5 config\$8 NEAR9 client)	USPAT; US-PGPUB	2004/10/06 08:24
-	103	((monitor\$4 or record\$4 or track\$4 or report\$4 or watch\$4 or keep\$4 or check\$4 or display\$4 or inform\$ or limit\$4 or control\$4 or manag\$5 or observ\$4 or trac\$4) NEAR9 (connection or access or login or session) NEAR5 (time or length or period) and @ad<20030903 and (auto\$9 NEAR5 config\$8 NEAR9 client))	USPAT; US-PGPUB	2004/10/06 08:29
-	26	((monitor\$4 or record\$4 or track\$4 or report\$4 or watch\$4 or keep\$4 or check\$4 or display\$4 or inform\$ or limit\$4 or control\$4 or manag\$5 or observ\$4 or trac\$4) NEAR9 (connection or access or login or session) NEAR5 (time or length or period) and @ad<20030903 and (auto\$9 NEAR5 config\$8 NEAR9 client) and ((confirm\$5 or indicat\$5 or signal\$5 or inform\$5 or advic\$5 or tell\$4 or say\$5 or notif\$8) NEAR9 configuration NEAR9 server) and ((default or standard or bas\$5 or regular or ordinary or initial) NEAR5 configuration))	USPAT; US-PGPUB	2004/10/06 09:43

-	22	(monitor\$4 or record\$4 or track\$4 or report\$4 or watch\$4 or keep\$4 or check\$4 or display\$4 or inform\$ or limit\$4 or control\$4 or manag\$5 or observ\$4 or trac\$4) NEAR9 (connection or access or login or session) NEAR5 (time or length or period) and @ad<20030903 and (auto\$9 NEAR5 config\$8 NEAR9 client) and ((confirm\$5 or indicat\$5 or signal\$5 or inform\$5 or advic\$5 or tell\$4 or say\$5 or notif\$8) NEAR9 configuration NEAR9 server) and ((default or standard or base or basic or regular or ordinary or initial) NEAR5 configuration)	USPAT; US-PGPUB	2004/10/06 09:58
-	99	@ad<20030903 and (auto\$9 NEAR5 config\$8 NEAR9 client) and ((default or standard or base or basic or regular or ordinary) NEAR5 configuration)	USPAT; US-PGPUB	2004/10/06 10:00
-	0	@ad<20030903 and (auto\$9 NEAR5 config\$8 NEAR9 client) and ((if or when) NEAR9 (load\$5 or install\$4 or set\$5 or place\$4 or use or using) NEAR5 (default or standard or base or basic or regular or ordinary) NEAR5 configuration)	USPAT; US-PGPUB	2004/10/06 10:05
-	0	@ad<20030903 and (auto\$9 NEAR5 config\$8 NEAR9 client) and ((if or when) NEAR9 (load\$5 or install\$4 or set\$5 or place\$4 or use or using) NEAR9 (default or standard or base or basic or regular or ordinary) NEAR9 configuration)	USPAT; US-PGPUB	2004/10/06 10:05
-	1	@ad<20030903 and (auto\$9 NEAR5 config\$8 NEAR9 client) and ((if or when or upon or once or whether) NEAR9 (load\$5 or install\$4 or set\$5 or place\$4 or use or using) NEAR9 (default or standard or base or basic or regular or ordinary) NEAR9 configuration)	USPAT; US-PGPUB	2004/10/06 10:11
-	3	@ad<20030903 and (auto\$9 NEAR5 config\$8 NEAR9 client) and ((if or when or upon or once or whether) NEAR9 (request\$5 or get\$4 or reload\$4 or ask\$4 or call\$4 or apply\$4 or demand\$4 or invok\$4 or order\$4 or solicit\$4 or seek\$4 or search\$4 or need\$4 or requir\$4 or command\$4 or extract\$4 or obtain\$4 or acquir\$4 or select\$4 or copy\$4 or creat\$4 or query\$4 or fetch\$4 or gather\$4 or pick\$4 or recover\$4 or switch\$4) NEAR9 (default or standard or base or basic or regular or ordinary) NEAR9 configuration)	USPAT; US-PGPUB	2004/10/06 10:14
-	8049744	US "5596723" A US "5619716" A US "5784612" A US "6006269" A US "6012100" A US "6012088" A US "6029196" A US "6286038" B1 US "20020029275" A1 US "20020032754" A1 US "20020116507" A1 US "20020133573" A1 US "20020147784" A1 US "20030036876" A1 US "20030036875" A1 US "20030036874" A1 US "20030055928" A1 US "20030140223" A1 US "20040002943" A1 US "6704737" B1 US "6735691" B1 US "20040093400" A1	USPAT; US-PGPUB	2004/10/07 17:35